

Acoustics Research Center
Department of Mechanical Engineering
The University of Auckland
Private Bag 92019, Auckland Mail Centre
Auckland, New Zealand 1142
☎ +64-21-456-580
☎ +64-9-923-1421
FAX +64-9-373-7479
✉ [y.hioka\[at\]auckland.ac.nz](mailto:y.hioka[at]auckland.ac.nz)
🌐 <https://unidirectory.auckland.ac.nz/profile/y-hioka>

Yusuke Hioka

Ph.D.

Personal Profile

With a broad background in signal processing, I am an organised and enthusiastic lecturer specialising in sensor array and sensing technologies for audio and acoustics. I started my academic career at the University of Canterbury (UC) from the beginning of 2013 where I served courses in wide range of subjects within electrical engineering while I also supervised several students studying towards their Bachelors and Ph.D degrees. In 2014 I joined the Department of Mechanical Engineering at the University of Auckland where I am serving as a Senior Lecturer.

Before I came to New Zealand, I worked as a Research Engineer for NTT, the largest Japanese telecom company, after receiving my Ph.D in Engineering in 2005. My main responsibilities at NTT were fundamental research on microphone array signal processing as well as the development of new commercial products using acoustic technologies invented in our research. From 2010 to 2011, I stayed in Victoria University of Wellington as a visiting researcher, working with Prof. Bastiaan Kleijn. Ever since arriving in New Zealand, I have built strong personal connections with researchers in New Zealand.

Education

- Apr 2002 – Mar 2005 **Ph.D in Engineering**, *Graduate School of Science and Technology, Keio University, Yokohama, Japan*, Major: Integrated Design Engineering, Signal Processing Laboratory.
- Apr 2000 – Mar 2002 **Master of Science in Engineering**, *Graduate School of Science and Technology, Keio University, Yokohama, Japan*, Major: Integrated Design Engineering, Signal Processing Laboratory.
GPA: 3.94/4.00
- Apr 1996 – Mar 2000 **Bachelor of Engineering**, *Faculty of Science and Engineering, Keio University, Yokohama, Japan*, Major: System Design Engineering.
GPA: 3.79/4.00

Ph.D thesis

Title *A Voice Activity Detection and Speaker Direction Estimation Using Microphone Arrays*

Supervisor Professor Nozomu Hamada (now Professor Emeritus at Keio University)

Job History

2019–current **Senior Lecturer above the bar (Tenured).**

2014–2018 **Senior Lecturer (Tenured)**, *The University of Auckland*, Department of Mechanical Engineering, Auckland New Zealand.

I have been teaching wide range of courses mainly in the mechatronics programme. My main responsibilities include:

- Teaching
 - MECHENG201: Electronics and Computer for Mechanical Engineers (2017)
 - MECHENG313: Real-time Software Design (2014–current) / Course Coordinator (2017).
 - MECHENG370: Analog Circuit Design (2015–current) / Course Coordinator (2015–current).
 - MECHENG705: Mechatronics System (2016–current).
 - MECHENG726: Acoustics for Engineers (2017–current).
- Research and project supervision
 - Postgraduate students under supervision
 - Mr. Francis Del Prado (ME: Main supervisor, co-supervision with A/Proc Catherine Watson; Mar 2015 - Feb 2016)
 - Ms. Chenhui Jiang (ME: Main supervisor; Mar 2019 -)
 - Mr. Benjamin Yen (PhD: Main supervisor, co-supervision with Prof Brian Mace; Jul 2016 -)
 - Mr. Nicholas Eng (PhD: Main supervisor, co-supervision with A/Prof Catherine Watson; Jul 2018 -)
 - Dr. Khairul Affendy Md Nor (PhD: Co-supervisor, co-supervision with Prof Brian Mace)
 - MECHENG700(Former MECHENG762): Mechatronics Research Project (2015–/supervised 30 students in total)
- Administration and service
 - Course Advisor (Mechatronics) (2015–)
 - Faculty Research Committee (2016–2018)
 - Deputy Director, Acoustics Research Centre (2017 –)

2013–2014 **Lecturer**, *University of Canterbury*, Department of Electrical and Computer Engineering, Christchurch New Zealand.

I served as a lecturer teaching wide range of courses in the undergraduate curriculum of the department. My main responsibilities included:

- Teaching
 - ENEL200: Electrical and Computer Engineering Design.
 - ENEL270: Principles of Electronics and Devices.
 - ENEL320: Signals and Communications.
 - ENEL321: Control Systems.
- Research and project supervision
 - ENEL400: Electrical and Computer Engineering Research Project (supervised nine students in total).
 - Co-supervision of a Ph.D student.
- Administration
 - Practical Work Assessment Coordinator.
 - Departmental outreach committee member.
 - Course coordinator (ENEL200).
 - Masters theses examiner.

2005–2012 **Research Engineer**, *NTT Corporation*, NTT Cyber Space Laboratories, Tokyo Japan.

I worked for an acoustic information research group. The group had two tasks: working on research of acoustic/audio signal processing and developing technologies for telecommunication devices/services using our research inventions. My main responsibilities included:

- Research
 - Speech enhancement, noise reduction and measurement of acoustical parameters in a room using microphone arrays.
 - Publication of journal papers, patent application, and presentation at international conferences.
- Supervision of junior staff
 - Supervised their research.
 - Undertook management role of a small team for product design and development.
- Product Development
 - Designing the specifications and adjusting the parameters to provide the best performance, organising and sharing a development schedule with manufacturers.
 - In September 2010, a new voice conference system that includes my invention was launched. It has been selling well in Japanese market.

2010–2011 **Visiting Researcher**, *Victoria University of Wellington*, School of Engineering and Computer Science, Wellington New Zealand.

On my sabbatical year at NTT, I visited Wellington to work with Prof. Bastiaan Kleijn on research in distributed microphone networks and blind source separation. I also worked with other academic staff members and Ph.D students at the university, and with researchers at Industrial Research Ltd. (now Callaghan Innovation) on projects including: a) kiwi bird spotting using microphone array, and b) crosstalk canceller exploiting impulse response shortening technique.

2002–2005 **Research Associate**, *Keio University*, Yokohama Japan.

While completing my Ph.D, I was also working as a Research Associate in “The 21st Century COE (Centre Of Excellence) Programme regarding Optical and Electronic Device Technology for Access Network” at Keio University. My key responsibilities were: to perform research in my field, attend a weekly meeting, give a presentation about my research progress every half a year. In 2007, I received a “Certificate of Distinguished Activity” from the programme.

2000–2005 **Teaching Assistant**, *Keio University*, Yokohama Japan.

While I was studying at graduate school, I was working as a Teaching Assistant for two classes for undergraduates: a) design, implement and investigate a simple analogue filter circuit, b) “circuits and systems”.

My main responsibilities included:

- Support students in practical tasks and help them to write a report to the lecturer.
- Answer any questions related to signal processing from students to help them to get better understanding.
- Support lecturers to mark exam.

Professional Activities

Membership ○ Senior Member of IEEE, Signal Processing Society Member
○ Member of ASJ (Acoustical Society of Japan)
○ Member of ASNZ (Acoustical Society of New Zealand)

Committee ○ IEEE New Zealand South Section Committee Member – University of Canterbury Student Branch Activities Coordinator (2013–2014)
○ IEEE New Zealand North Section Committee Member – Signal Processing and Information Theory Chapter Representative (2015–)
○ IEEE New Zealand Signal Processing and Information Theory Chapter, Vice Chapter Chair (2015), Chair (2016–)

Conference Activities ○ Organisation committee member of the Noise and Vibration Emerging Methods, the 7th conference (NOVEM2021)
○ Committee member of the 16th International Workshop on Acoustic Signal Enhancement (IWAENC2018)
○ Technical Programme Committee of the 8th International Conference on Sensing Technology (ICST2014)
○ Session Chair of International Congress of Acoustics (ICA2010)
○ Session Vice-chair at the ASJ Meetings: 2010 Spring, 2009 Autumn, 2009 Spring, 2008 Autumn, 2005 Spring

- Referee
- Reviewer for IEEE Transactions and Magazines
 - Reviewer for EURASIP Journals
 - Reviewer for Journal of Acoustic Society of America
 - Reviewer for Acoustical Science and Technology (English Journal published from the Acoustical Society of Japan)
 - Reviewer for Applied Acoustics
 - Reviewer for IEICE Transactions
 - Reviewer for Interspeech (2010–)

Talks

- Nov 2018 **Seminar**, *Sophia University*, Tokyo, Japan.
- Nov 2018 **Seminar**, *University of Tokyo*, Tokyo, Japan.
- Oct 2018 **Seminar**, *Orticon*, Copenhagen, Denmark.
- Oct 2018 **Seminar**, *Denmark Technological University*, Copenhagen, Denmark.
- Oct 2018 **Seminar**, *Imperial College London*, London, UK.
- Sep 2016 **Key Note Talk (Invited)**, *Estimating Power Spectral Density for Acoustic Signal Enhancement – an Effective Approach for Practical Applications*, International Workshop on Acoustic Signal Enhancement (IWAENC2016), Xi'an, China.
- Sep 2016 **Seminar**, *Xi'an Jiaotong University*, Xi'an, China.
- Dec 2015 **Seminar**, *Nanyang Technological University*, Singapore.
- Oct 2014 **Seminar**, *University of Auckland*, Auckland, New Zealand.
- Jun 2014 **Seminar**, *Imperial College*, London, UK.
- Jan 2014 **Seminar**, *Lincoln Agritech*, Lincoln, New Zealand.
- Mar 2013 **Seminar**, *University of Canterbury*, Christchurch, New Zealand.
- Sep 2012 **Seminar**, *Delft University of Technology*, Delft, Netherlands.
- Aug 2010 **Seminar**, *University of South Wales*, Sydney, Australia.
- Aug 2010 **Seminar**, *Royal Melbourne Institute of Technology*, Melbourne, Australia.

Awards

- 2016 **AUEA Emerging Researcher Award**, *Auckland University Engineering Association*.
- 2011 **Outstanding Performance Award on Paper Publication**, *Director of NTT Cyber Space Laboratories*, NTT Corporation.
- 2007 **Research and Development Incentive Award**, *Executive Director of NTT Cyber Communication Laboratory Group*, NTT Corporation.
- 2005 **Outstanding Performance Award**, *School of Integrated Design Engineering*, Keio University.

- 2005 **Best Paper Award**, *The 21st Century COE (Centre Of Excellence) Programme*, Keio University.
- 2000 **Best Bachelor Thesis Presentation Award**, *Department of System Design Engineering*, Keio University.

Funding/Prizes

- 2020 **Catalyst: Seeding New Zealand - Japan Joint Research Project Programme**, *Royal Society of New Zealand*, 60,000 NZD, Principal Investigator.
- 2019 **Faculty Research Development Fund**, *Faculty of Engineering, University of Auckland*, 166,865 NZD, Principal Investigator.
- 2017 **Science for Technological Innovation Seed Grant**, *National Science Challenge*, 200,000 NZD, Associate Investigator.
PI: Prof Stephen Marsland, Victoria University of Wellington
- 2017 **Faculty Research Development Fund**, *Faculty of Engineering, University of Auckland*, 160,000 NZD, Associate Investigator.
PI: Dr Kevin Wang, University of Auckland
- 2015 **Finalist (among 6) for the C-prize Challenge**, *Callaghan Innovation*, 10,000 NZD, (jointly awarded with Dr Michael Kingan and Dr Karl Stol both from the University of Auckland).
- 2015 **Faculty Research Development Fund**, *Faculty of Engineering, University of Auckland*, 30,000 NZD, Principal Investigator.
- 2015 **Seed grant**, *Faculty of Engineering, University of Auckland*, 10,000 NZD, Associate Investigator.
PI: Dr Kevin Wang, University of Auckland
- 2014 **Seed grant**, *Faculty of Engineering, University of Auckland*, 10,000 NZD, Associate Investigator.
PI: Dr Catherine Watson, University of Auckland

Languages

English	Full Professional Proficiency	<i>IELTS overall 7.5 (2011)</i>
Japanese	Native Speaker	
German	Elementary Proficiency	

Computer skills

Technical Programming	Matlab, C/C++
Administration	MS-Word, Excel, PowerPoint, LaTeX

Hobbies

- Music
- Playing mandolin: Undertook a role of the leading player in various mandolin orchestras.
 - Listening to classical music

- Sports
- Tramping
 - Golf
 - Squash
 - Skiing

Publications

Book Chapters

- [1] M. Kishida and **Y. Hioka**. Circularly moving sensor for use of modulation effect - carousel. In Alex Mason, Subhas Chandra Mukhopadhyay, and Krishanthi Padmarani Jayasundera, editors, *Sensing Technology: Current Status and Future Trends IV*, pages 217–234. 2015.
- [2] Rohith Mars, Vaninirappuputhenpurayil Gopalan Reju, Andy W.H. Khong, Yusuke Hioka, and Kenta Niwa. Chapter 12 - beamforming techniques using microphone arrays. In Rama Chellappa and Sergios Theodoridis, editors, *Academic Press Library in Signal Processing, Volume 7*, pages 585 – 612. Academic Press, 2018.

Invited Articles

- [1] **Y. Hioka** and K. Niwa. Estimating power spectral density for spatial audio signal separation: An effective approach for practical applications. *The Acoustical Science & Technology*, 38, 2017.
- [2] A. Kataoka, K. Kobayashi, and **Y. Hioka**. Microphone array technologies for hands-free speech communications. *The Journal of The Institute of Electronics, Information and Communication Engineers (IEICE)*, 2008.

Journal Papers

- [1] **Y. Hioka**, J. James, and C.I. Watson. Masker design for real-time informational masking with mitigated annoyance. *Applied Acoustics*, 159:accepted, February 2020.
- [2] B. Ollivier, A. Pepperell, Z. Halstead, and **Y. Hioka**. Noise robust bird call localisation using the generalised cross-correlation in the wavelet domain. *Journal of the Acoustical Society of America*, 146:4650–4663, 2019.
- [3] A. Pepperell, Z. Halstead, B. Ollivier, and **Y. Hioka**. Performance of sound source localisation for bird calls in native new zealand bush. *New Zealand Acoustics*, 32(2):15–24, 2019.
- [4] **Y. Hioka**, M. Kingan, G. Schmid, R. McKay, and K. Stol. Design of an unmanned aerial vehicle mounted system for quiet audio recording. *Applied Acoustics*, 155:423–427, December 2019.
- [5] K. Niwa, **Y. Hioka**, and K. Kobayashi. Microphone array source enhancement using subtractive psd estimation model. *Applied Acoustics*, 143:239–249, January 2019.
- [6] K. Niwa, **Y. Hioka**, and H. Uematsu. Efficient audio rendering using angular region-wise source enhancement for 360° video. *IEEE Transactions on Multimedia*, 20(11):2871–2881, November 2018.

- [7] Y. Koizumi, K. Niwa, **Y. Hioka**, K. Kobayashi, and Y. Haneda. Dnn-based source enhancement to increase objective sound quality assessment score. *IEEE/ACM Transactions on Audio, Speech and Language Processing*, 26(10):1780–1792, October 2018.
- [8] F. Del Prado, **Y. Hioka**, and C. Watson. The effect of speech enhancement in voice adaptation when building synthetic voices. *Acoustics Science and Technology*, 39(2):150–153, March 2018.
- [9] Y. Koizumi, K. Niwa, **Y. Hioka**, K. Kobayashi, and H. Ohmuro. Informative acoustic feature selection to maximize mutual information for collecting target sources. *IEEE Transactions on Audio, Speech, and Language Processing*, 25(4):768–779, April 2017.
- [10] T. Kawase, K. Niwa, **Y. Hioka**, and K. Kobayashi. Automatic parameter switching of noise reduction for speech recognition. *Journal of Signal Processing*, 21(2):63–71, Mar 2017.
- [11] M. Fukui, S. Shimauchi, **Y. Hioka**, A. Nakagawa, and Y. Haneda. Acoustic echo and noise canceller for personal hands-free video ip phone. *IEEE Transactions on Consumer Electronics*, 62(4):1–1, Nov 2016.
- [12] K. Niwa, **Y. Hioka**, and K. Kobayashi. Optimal microphone array observation for clear recording of distant sound sources. *IEEE Transactions on Audio, Speech, and Language Processing*, 24(10):1785–1795, Dec 2016.
- [13] **Y. Hioka**, J. Tang, and J. Wan. Effect of adding artificial reverberation to speech-like masking sound. *Applied Acoustics*, 114:171–178, Dec 2016.
- [14] A.C. Laphron, S. Pandey, and **Y. Hioka**. Is there a problem with ncea physics 3.6? an electrical engineering perspective. *New Zealand Science Teacher*, 134:34–38, Nov 2015.
- [15] M. Fukui, K. Kobayashi, S. Shimauchi, **Y. Hioka**, and H. Ohmuro. Low-complexity dereverberation for hands-free audio conferencing unit. *IEEE Transactions on Consumer Electronics*, 61(4):539–545, Nov 2015.
- [16] G. Pablo Nava, H.D. Nguyen, **Y. Hioka**, Y. Kamamoto, T. Sato, Y. Shiraki, and T. Moriya. Multiple-speech-source localization using advanced histogram mapping method. *Acoustical Science and Technology*, 36(6):489–499, Nov 2015.
- [17] M. Fukui, S. Shimauchi, **Y. Hioka**, A. Nakagawa, and Y. Haneda. Double-talk robust acoustic echo cancellation for cd-quality hands-free videoconferencing system. *IEEE Transactions on Consumer Electronics*, 60(3):468–475, Nov 2014.

- [18] M. Fukui, S. Shimauchi, K. Kobayashi, **Y. Hioka**, and H. Ohmuro. Acoustic echo canceller software for voip hands-free application on smartphone and tablet devices. *IEEE Transactions on Consumer Electronics*, 60(3):461–467, Nov 2014.
- [19] M. Fukui, S. Shimauchi, **Y. Hioka**, A. Nakagawa, Y. Haneda, H. Ohmuro, and A. Kataoka. Wiener solution considering cross-spectral term between echo and near-end speech for acoustic echo reduction. *Acoustical Science and Technology*, 35(3):150–158, 2014.
- [20] M. Fukui, S. Shimauchi, **Y. Hioka**, A. Nakagawa, Y. Haneda, H. Ohmuro, and A. Kataoka. Noise-power estimation based on ratio of stationary noise to input signal for noise reduction. *Journal of Signal Process*, 18(1):17–28, Jan 2014.
- [21] K. Niwa, S. Esaki, **Y. Hioka**, T. Nishino, and K. Takeda. An estimation method of distance between each sound source and microphone array utilizing eigenvalue distribution of spatial correlation matrix. *IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences*, 97-A(2):68–76, Feb 2014.
- [22] **Y. Hioka**, K. Furuya, K. Kobayashi, K. Niwa, and Y. Haneda. Underdetermined sound source separation using power spectrum density estimated by combination of directivity gain. *IEEE Transactions on Audio, Speech, and Language Processing*, 21(6):1240–1250, Jun 2013.
- [23] K. Niwa, **Y. Hioka**, K. Furuya, and Y. Haneda. Diffused sensing for sharp directive beamforming. *IEEE Transactions on Audio, Speech, and Language Processing*, 21(11):2346 – 2355, Nov 2013.
- [24] K. Niwa, **Y. Hioka**, S. Sakauchi, K. Furuya, and Y. Haneda. An estimation method of sound source orientation using eigenspace variation of spatial correlation matrix. *IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences*, E96-A(9):1831–1839, Sep 2013.
- [25] K. Niwa, **Y. Hioka**, S. Sakauchi, K. Furuya, and Y. Haneda. Sharp directive beamforming using microphone array and planar reflector. *Acoustical Science and Technology*, 34(4):253–262, Jul 2013.
- [26] M. Fukui, S. Shimauchi, **Y. Hioka**, Y. Haneda, H. Ohmuro, and A. Kataoka. Fast and accurate acoustic-coupling level estimation for echo reduction. *Journal of Signal Process*, 17(5):167–177, Sep 2013.
- [27] **Y. Hioka**, K. Furuya, K. Kobayashi, S. Sakauchi, and Y. Haneda. Angular region-wise speech enhancement for hands-free speakerphone. *IEEE Transactions on Consumer Electronics*, 58(4):1403–1410, Nov 2012.

- [28] **Y. Hioka**, K. Niwa, S. Sakauchi, K. Furuya, and Y. Haneda. Estimating direct-to-reverberant energy ratio using D/R spatial correlation matrix model. *IEEE Transactions on Audio, Speech, and Language Processing*, 19(8):2374–2384, Nov 2011.
- [29] **Y. Hioka**, K. Furuya, Y. Haneda, and A. Kataoka. Improving power spectra estimation in 2-dimensional areas using number of active sound sources. *IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences*, E94-A(1):273–281, Jan 2011.
- [30] **Y. Hioka**, M. Matsuo, and N. Hamada. Multiple-speech-source localization using advanced histogram mapping method. *Acoustical Science and Technology*, 30(2):143–146, Mar 2009.
- [31] **Y. Hioka**, M. Okamoto, K. Kobayashi, Y. Haneda, and A. Kataoka. A display-mounted high-quality stereo microphone array for high-definition videophone system. *IEEE Transactions on Consumer Electronics*, 54(2):778–786, May 2008.
- [32] **Y. Hioka**, K. Kobayashi, Furuya K., and A. Kataoka. Enhancement of sound sources located within a particular area using a pair of small microphone arrays. *IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences*, E91-A(2):561–574, Feb 2008.
- [33] **Y. Hioka** and N. Hamada. Tracking of speaker direction by integrated use of microphone pairs in equilateral-triangle. *IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences*, E88-A(3):633–641, Mar 2005.
- [34] **Y. Hioka** and N. Hamada. DOA estimation of speech signal using microphones located at vertices of equilateral triangle. *IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences*, E87-A(3):559–566, Mar 2004.
- [35] **Y. Hioka** and N. Hamada. Estimation of azimuth and elevation DOA using microphones located at apices of regular tetrahedron. *IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences*, E87-A(8):2058–2062, Aug 2004.
- [36] **Y. Hioka** and N. Hamada. Voice activity detection with array signal processing in the wavelet domain. *IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences*, E86-A(11):2802–2811, Nov 2003.
- [37] **Y. Hioka**, Y. Koizumi, and N. Hamada. Improvement of DOA estimation using virtually generated multichannel data from two-channel microphone array. *Journal of Signal Process*, 7(1):105–109, 2003.

- [38] K. Suzuki, **Y. Hioka**, and N. Hamada. Adding virtual waves algorithm using eigenvectors of the signal covariance matrix. *IEICE transactions on fundamentals of electronics, communications and computer sciences*, J86-A(12):1520–1523, Dec 2003. (in Japanese).

Peer-reviewed Conference Proceedings

- [1] **Y. Hioka**, K. Kobayashi, and K. Niwa. Improving speech intelligibility using microphones on behind the ear hearing aids. In *IEEE 21st International Workshop on Multimedia Signal Processing (MMSP)*, Sep 2019.
- [2] H. Masuda, **Y. Hioka**, J. James, and C. Watson. Protecting speech privacy from native/non-native listeners - effect of masker type. In *International Congress on Phonetic Sciences (ICPhS)*, pages 3070–3074, Aug 2019.
- [3] **Y. Hioka**, R. Drage, T. Boag, and E. Everall. Direction of arrival estimation using a circularly moving microphone. In *16th International Workshop on Acoustic Signal Enhancement (IWAENC)*, pages 91–95, Sep 2018.
- [4] B. Yen, **Y. Hioka**, and B Mace. Improving power spectral density estimation of unmanned aerial vehicle rotor noise by learning from non-acoustic information. In *16th International Workshop on Acoustic Signal Enhancement (IWAENC)*, pages 545–549, Sep 2018.
- [5] B. Yen, **Y. Hioka**, and B Mace. Estimating power spectral density of unmanned aerial vehicle rotor noise using multisensory information. In *26th European Signal Processing Conference (EUSIPCO 2018)*, pages 2434–2438, Sep 2018.
- [6] Y. Koizumi, N. Harada, Y. Haneda, **Y. Hioka**, and K Kobayashi. End-to-end sound source enhancement using deep neural network in the modified discrete cosine transform domain. In *2018 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pages 706–710, Apr 2018.
- [7] K. Md Nor, B. Mace, and **Y. Hioka**. Adaptive control of radiated sound power based on time-domain estimates of acoustic radiation modes. In *24th International Congress on Sound and Vibration (ICSV)*, pages 1–8, Jul 2017.
- [8] K. Niwa, Y. Koizumi, T. Kawase, K Kobayashi, and **Y. Hioka**. Supervised source enhancement composed of nonnegative auto-encoders and complementarity subtraction. In *2017 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pages 266–270, Mar 2017.
- [9] Y. Koizumi, K. Niwa, **Y. Hioka**, K Kobayashi, and H. Ohmuro. Dnn-based source enhancement self-optimized by reinforcement learning using sound quality measurements. In *2017 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pages 81–85, Mar 2017.

- [10] K.A. Md Nor, B. Mace, and **Y. Hioka**. Time-domain estimation of acoustic radiation modes and active structural acoustic control. In *Proceedings of ACOUSTICS 2016*, page 63, Nov 2016.
- [11] **Y. Hioka**, M. Kingan, G. Schmid, and K.A. Stol. Speech enhancement using a microphone array mounted on an unmanned aerial vehicle. In *International Workshop on Acoustic Signal Enhancement 2016 (IWAENC 2016)*, Sep 2016.
- [12] K. Niwa, T. Kawase, K Kobayashi, and **Y. Hioka**. PSD estimation in beamspace using property of m-matrix. In *International Workshop on Acoustic Signal Enhancement 2016 (IWAENC 2016)*, Sep 2016.
- [13] T. Kawase, K. Niwa, K Kobayashi, and **Y. Hioka**. Application of neural network to source PSD estimation for wiener filter based array sound source enhancement. In *International Workshop on Acoustic Signal Enhancement 2016 (IWAENC 2016)*, Sep 2016.
- [14] **Y. Hioka** and K. Niwa. Estimating direct-to-reverberant ratio mapped from power spectral density using deep neural network. In *2016 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pages 26–30, Mar 2016.
- [15] K. Niwa, Y. Koizumi, T. Kawase, K Kobayashi, and **Y. Hioka**. Pin-point extraction of distant sound source based on dnn mapping from multiple beamforming outputs to prior snr. In *2016 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pages 435–439, Mar 2016.
- [16] Y. Koizumi, K. Niwa, **Y. Hioka**, K Kobayashi, and H. Ohmuro. Integrated approach of feature extraction and sound source enhancement based on maximization of mutual information. In *2016 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pages 186–190, Mar 2016.
- [17] T. Kawase, K. Niwa, K. Kobayashi, and **Y. Hioka**. Selection of optimal array noise reduction parameter set for accurate speech recognition in various noisy environments. In *12th Western Pacific Acoustics Conference 2015*, December 2015.
- [18] N. Clark, D.E. Rose, and **Y. Hioka**. Effect of using artificial echoes for keeping speech privacy. In *12th Western Pacific Acoustics Conference 2015*, December 2015.
- [19] **Y. Hioka** and K. Niwa. PSD estimation in beamspace for estimating direct-to-reverberant ratio from a reverberant speech signal. In *ACE Challenge Workshop, a satellite event of IEEE-WASPAA 2015*, October 2015.

- [20] Y. Koizumi, K. Niwa, **Y. Hioka**, K. Kobayashi, and H. Ohmuro. Informative acoustic feature selection on microphone array wiener filtering for collecting target source on sports ground. In *2015 IEEE Workshop on Applications of Signal Processing to Audio and Acoustics (WASPAA)*, October 2015.
- [21] F. Yoshiyama, S. Uenohara, K. Nishijima, **Y. Hioka**, and K. Furuya. Log-likelihood method to select initial values of multichannel non-negative matrix factorization. In *2015 IEEE International Conference on Consumer Electronics - Taiwan (ICCE-TW 2015)*, June 2015.
- [22] Y. Hashimoto, **Y. Hioka**, and M. Kubouchi. Study on optical fiber sensing for detecting liquid penetration into anti-corrosive resins. In *The 3rd International Conference on Industrial Application Engineering 2015 (ICIAE2015)*, Mar 2015.
- [23] M. Fukui, K. Kobayashi, S. Shimauchi, **Y. Hioka**, and H. Ohmuro. Hands-free audio conferencing unit with low-complexity dereverberation. In *International Conference on Consumer Electronics, 2015. ICCE 2015. Digest of Technical Papers.*, Jan 2015.
- [24] **Y. Hioka** and K. Niwa. PSD estimation in beamspace for source separation in a diffuse noise field. In *International Workshop on Acoustic Signal Enhancement 2014 (IWAENC 2014)*, Sep 2014.
- [25] K. Niwa and **Y. Hioka**. Post-filter design for speech enhancement in various noisy environments. In *International Workshop on Acoustic Signal Enhancement 2014 (IWAENC 2014)*, Sep 2014.
- [26] **Y. Hioka** and M. Kishida. Direction of arrival estimation of harmonic signal using single moving sensor. In *2014 IEEE 8th Sensor Array and Multichannel Signal Processing Workshop (SAM 2014)*, Jun 2014.
- [27] J. Orchard and **Y. Hioka**. Localisation of a sound source in different positions using kinect sensors. In *2014 IEEE Sensors Applications Symposium (SAS 2014)*, Feb 2014.
- [28] M. Politakis and **Y. Hioka**. Expansion of sound source emphasis to multiple areas. In *2014 IEEE Sensors Applications Symposium (SAS 2014)*, Feb 2014.
- [29] C. Gray and **Y. Hioka**. Direction of arrival estimation of kiwi call in noisy and reverberant bush. In *2014 IEEE Sensors Applications Symposium (SAS 2014)*, Feb 2014.
- [30] M. Fukui, S. Shimauchi, K. Kobayashi, **Y. Hioka**, and H. Ohmuro. Acoustic echo canceller software for voip hands-free application on smartphone and tablet devices. In *International Conference on Consumer Electronics, 2014. ICCE 2014. Digest of Technical Papers.*, Jan 2014.

- [31] K. Niwa, **Y. Hioka**, and K. Kobayashi. Wave intensity estimation over broad wavelengths based on diffused sensing. In *2013 Seventh International Conference on Sensing Technology (ICST)*, Dec 2013.
- [32] M. Kishida and **Y. Hioka**. Circularly moving sensor for use of modulation effect. In *2013 Seventh International Conference on Sensing Technology (ICST)*, Dec 2013.
- [33] **Y. Hioka** and T. Betlehem. Under-determined source separation based on power spectral density estimated using cylindrical mode beamforming. In *2013 IEEE Workshop on Applications of Signal Processing to Audio and Acoustics (WASPAA)*, Oct 2013.
- [34] K. Niwa, **Y. Hioka**, K. Kobayashi, K. Furuya, and Y. Haneda. Evaluation of microphone array based on diffused sensing with various filter design methods. In *21st European Signal Processing Conference EUSIPCO2013*, Sep 2013.
- [35] M. Fukui, S. Shimauchi, **Y. Hioka**, H. Ohmuro, and Y. Haneda. Acoustic echo reduction robust against echo-path change with instant echo-power-level adjustment. In *21st European Signal Processing Conference EUSIPCO2013*, Sep 2013.
- [36] M. Fukui, S. Shimauchi, **Y. Hioka**, H. Ohmuro, and Y. Haneda. Accurate acoustic echo reduction with residual echo power estimation for long reverberation. In *Audio Engineering Society Convention 134*, May 2013.
- [37] **Y. Hioka**, K. Furuya, K. Kobayashi, S. Sakauchi, and Y. Haneda. Angular region-wise speech enhancement for hands-free speakerphone. In *2012 IEEE 1st Global Conference on Consumer Electronics (GCCE)*, pages 144–145, Oct 2012.
- [38] **Y. Hioka**, K. Furuya, K. Niwa, and Y. Haneda. Estimation of direct-to-reverberation energy ratio based on isotropic and homogeneous propagation model. In *Proceedings of International Workshop on Acoustic Signal Enhancement IWAENC 2012*, pages 1–4, Sep 2012.
- [39] A. Kijima, **Y. Hioka**, and N. Hamada. Tracking of multiple moving sound sources using particle filter for arbitrary microphone array configurations. In *IEEE International Symposium on Intelligent Signal Processing and Communication Systems (ISPACS 2012)*, Nov 2012.
- [40] K. Niwa, **Y. Hioka**, S. Sakauchi, K. Furuya, and Y. Haneda. Telescopic microphone array using reflector for segregating target source from noises in same direction. In *2012 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pages 5457–5460, Mar 2012.

- [41] T. Betlehem, P.D. Teal, and **Y. Hioka**. Efficient crosstalk canceler design with impulse response shortening filters. In *2012 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pages 393–396, Mar 2012.
- [42] **Y. Hioka** and W.B. Kleijn. Distributed blind source separation with an application to audio signals. In *2011 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pages 233–236, May 2011.
- [43] **Y. Hioka**, K. Niwa, S. Sakauchi, K. Furuya, and Y. Haneda. Estimating direct-to-reverberant energy ratio based on spatial correlation model segregating direct sound and reverberation. In *2010 IEEE International Conference on Acoustics Speech and Signal Processing (ICASSP)*, pages 149–152, Mar 2010.
- [44] K. Niwa, **Y. Hioka**, S. Sakauchi, K. Furuya, and Y. Haneda. Estimation of sound source orientation using eigenspace of spatial correlation matrix. In *2010 IEEE International Conference on Acoustics Speech and Signal Processing (ICASSP)*, pages 129–132, Mar 2010.
- [45] **Y. Hioka**, K. Furuya, Y. Haneda, and A. Kataoka. Speech enhancement in a 2-dimensional area based on power spectrum estimation of multiple areas with investigation of existence of active sources. In *Proceedings of Interspeech 2009*, pages 1323–1326, Sep 2009.
- [46] **Y. Hioka**, M. Okamoto, K. Kobayashi, Y. Haneda, and A. Kataoka. A display-mounted high-quality stereo microphone array for high-definition videophone system. In *International Conference on Consumer Electronics, 2008. ICCE 2008. Digest of Technical Papers.*, pages 1–2, Jan 2008.
- [47] **Y. Hioka**, K. Kobayashi, K. Furuya, and A. Kataoka. Enhancement of sounds in a specific directional area using power spectra estimated from multiple beamforming outputs. In *Hands-Free Speech Communication and Microphone Arrays, 2008. HSCMA 2008*, pages 49–52, May 2008.
- [48] **Y. Hioka**, K. Kobayashi, K. Furuya, and A. Kataoka. Enhancement of sounds in a specific directional area using power spectra estimated from multiple beamforming outputs. In *Proceedings of IWAENC 2006*, Sep 2006.
- [49] **Y. Hioka** and N. Hamada. Speaker direction tracking using microphones located at the vertices of equilateral-triangle. In *IEEE International Symposium on Circuits and Systems, 2005. ISCAS 2005*, pages 2847–2850, May 2005.
- [50] M. Matsuo, **Y. Hioka**, and N. Hamada. Estimating DOA of multiple speech signals by improved histogram mapping method. In *Proceedings of IWAENC 2005*, Sep 2005.

- [51] **Y. Hioka** and N. Hamada. A tracking algorithm of speaker direction using microphones located at vertices of equilateral-triangle. In *12th European Signal Processing Conference EUSIPCO2004*, Sep 2004.
- [52] **Y. Hioka** and N. Hamada. Separate estimation of azimuth and elevation DOA using microphones located at apices of regular tetrahedron. In *IEEE International Conference on Acoustics, Speech, and Signal Processing, 2004. Proceedings.(ICASSP'04)*, volume 2, pages ii–137, May 2004.
- [53] **Y. Hioka** and N. Hamada. DOA estimation of speech signal using equilateral-triangular microphone array. In *Eurospeech2003*, Sep 2003.
- [54] **Y. Hioka** and N. Hamada. DOA estimation of speech signal with a small number of microphone array in real acoustical environment. In *Proceedings of IWAENC2003*, pages 227–230, Sep 2003.
- [55] M. Furukawa, **Y. Hioka**, T. Ema, and N. Hamada. Introducing new mechanism in the learning process of fdca-based speech separation. *IWAENC03*, pages 291–294, Sep 2003.
- [56] **Y. Hioka**, Y. Koizumi, and N. Hamada. Improvement of DOA estimation method using virtually generated multichannel data from two-channel microphone array. In *International Symposium on Information Theory and Its Applications (ISITA2002)*, pages 735–738, Oct 2002.
- [57] **Y. Hioka** and N. Hamada. Voice activity detection with array signal processing in the wavelet domain. In *10th European Signal Processing Conference EUSIPCO2002*, Sep 2002.
- [58] Y. Nagoshi, **Y. Hioka**, and N. Hamada. Transcription of music composed of melody and chord using tree-structured filter banks. In *SIP*, pages 415–419, Aug 2001.
- [59] **Y. Hioka**, T. Yamaoka, and N. Hamada. Separation of voice and musical sound using microphone array and wavelet packet filtering. In *Proceedings of the IASTED International Conference SIGNAL PROCESSING AND COMMUNICATIONS*, pages 210–215, Sep 2000.

Patents

- [1] **Y. Hioka**, S. Sakauchi, K. Furuya, Y. Haneda, and K. Niwa. Instantaneous direct to reverberation ratio estimation device, noise reduction device, perspective determination device, sound source distance estimation apparatus, method for each device, and program for device. Patent registered in Japan, 02 Dec 2015. JP5826465.
- [2] **Y. Hioka**, K. Furuya, Y. Haneda, and K. Niwa. Acoustic signal enhancement device, perspective determination device, method and program therefor. Patent registered in Japan, 01 May 2015. JP5713933.
- [3] **Y. Hioka**, K. Furuya, Y. Haneda, and K. Niwa. Acoustic signal enhancement device, perspective determination device, method and program therefor. Patent registered in Japan, 01 May 2015. JP5738218.
- [4] **Y. Hioka**, K. Furuya, Y. Haneda, and K. Niwa. Sound source distance estimation apparatus, direct/indirect ratio estimation apparatus, noise removal apparatus, and methods and program for apparatuses. Patent registered in Japan, 20 Feb 2015. JP5698166.
- [5] **Y. Hioka**, S. Sakauchi, K. Furuya, Y. Haneda, and K. Niwa. Noise resisting direct/indirect ratio estimation device, interference noise elimination device, far/near determination device, sound source distance measurement device, method for each device, and program for device. Patent registered in Japan, 23 Jan 2015. JP5683140.
- [6] K. Niwa, **Y. Hioka**, S. Sakauchi, K. Furuya, and Y. Haneda. Device and method for estimating reflected sound information, and program. Patent registered in Japan, 12 Dec 2014. JP5660665.
- [7] **Y. Hioka**, K. Furuya, Y. Haneda, and K. Niwa. Acoustic signal enhancement device, distance determination device, methods for the same, and program. Patent registered in Japan, 24 Oct 2014. JP5635024.
- [8] **Y. Hioka**, S. Sakauchi, K. Furuya, and Y. Haneda. Device, method and program for acquiring sound. Patent registered in Japan, 4 Apr 2014. JP5512741.
- [9] K. Niwa, **Y. Hioka**, S. Sakauchi, K. Furuya, and Y. Haneda. Reflection sound information estimation device, reflection sound information estimation method and program. Patent registered in Japan, 7 Jun 2013. JP5285665.
- [10] K. Niwa, **Y. Hioka**, S. Sakauchi, K. Furuya, and Y. Haneda. Reflection sound information estimation device, reflection sound information estimation method and program. Patent registered in Japan, 8 Mar 2013. JP5216056.

- [11] **Y. Hioka**, S. Sakauchi, K. Furuya, and Y. Haneda. Device, method and program for acquiring sound. Patent registered in Japan, 11 Jan 2013. JP5175262.
- [12] K. Niwa, **Y. Hioka**, S. Sakauchi, K. Furuya, and Y. Haneda. Reflection sound information estimation equipment, reflection sound information estimation method, and program. Patent registered in Japan, 11 Jan 2013. JP5172909.
- [13] M. Mizushima, A. Nakagawa, **Y. Hioka**, and K. Furuya. Sound signal transmitting device, sound signal receiving device, sound signal transmitting method and program therefor. Patent registered in Japan, 7 Dec 2012. JP5149872.
- [14] **Y. Hioka**, S. Sakauchi, K. Furuya, Y. Haneda, and K. Niwa. Noise reducing device, distance determining device, method of each device, and device program. Patent registered in Japan, 30 Nov 2012. JP5143802.
- [15] **Y. Hioka**, S. Sakauchi, K. Furuya, Y. Haneda, and K. Niwa. Device for estimating direct/indirect ratio, device for measuring distance to sound source, noise eliminating device, method for the same and device program. Patent registered in Japan, 7 Sep 2012. JP5079761.
- [16] **Y. Hioka** and S. Sakauchi. Sound collecting and reproducing device, method and program, and handsfree device. Patent registered in Japan, 10 Aug 2012. JP5060589.
- [17] **Y. Hioka**, K. Kobayashi, K. Furuya, Y. Haneda, and A. Kataoka. Sound collecting device, sound collecting method, sound collecting program, and recording medium. Patent registered in Japan, 10 Aug 2012. JP5060465.
- [18] S. Sakauchi and **Y. Hioka**. Premise loudspeaker. Patent registered in Japan, 22 Jun 2012. JP5022468.
- [19] **Y. Hioka**, S. Sakauchi, K. Furuya, and Y. Haneda. Sound collection apparatus, sound collection method and sound collection program. Patent registered in Japan, 22 Jun 2012. JP5022459.
- [20] **Y. Hioka**, K. Kobayashi, K. Furuya, and A. Kataoka. Apparatus, method and program for collecting sound from specific direction, and recording medium. Patent registered in Japan, 17 Feb 2012. JP4928382.
- [21] **Y. Hioka**, K. Kobayashi, K. Furuya, and A. Kataoka. Sound pickup device, sound pickup method, sound pickup program using same method, and recording medium. Patent registered in Japan, 17 Feb 2012. JP4928376.
- [22] **Y. Hioka**, K. Kobayashi, K. Furuya, and A. Kataoka. Sound pickup apparatus, sound pickup method, sound pickup program using its

- method, and storage medium. Patent registered in Japan, 16 Dec 2011. JP4886616.
- [23] **Y. Hioka**, K. Kobayashi, K. Furuya, and A. Kataoka. Audio sound pickup apparatus, method therefor, program thereof, and recording medium thereof. Patent registered in Japan, 22 Jul 2011. JP4787727.
- [24] **Y. Hioka**, K. Kobayashi, K. Furuya, and A. Kataoka. Sound pickup device, program, and recording medium recorded with it. Patent registered in Japan, 12 Mar 2010. JP4473829.
- [25] **Y. Hioka**, K. Kobayashi, K. Furuya, and A. Kataoka. Specific direction sound collection device, specific direction sound collection program, and recording medium. Patent registered in Japan, 15 Apr 2011. JP4724054.

Non-peer-reviewed articles

- [1] M. Ikuta, M. Obata, C.T.J. Hui, **Y. Hioka**, and T. Arai. Realization of sound masking system using microphone array: An attempt to match the speaker's voice and the direction of arrival of a masker using the speaker's spatial information. In *Proceedings of Acoustical Society of Japan 2020 Spring Meeting*, 2020. (in Japanese).
- [2] M. Obata, A. Akiyama, M. Ikuta, **Y. Hioka**, and T. Arai. Consideration of sound masking system by using microphone array: Attempt to reduce masking sound level by using directivity of input voice. In *Proceedings of Acoustical Society of Japan 2019 Autumn Meeting*, 2019. (in Japanese).
- [3] **Y. Hioka**, G. Dodd, M. Kingan, and G. Schmid. An active learning coursework for engineering acoustics course. In *25th International Congress on Sound and Vibration (ICSV25)*, pages 1–8, Jul 2018.
- [4] A. Pepperell, Z. Halstead, B. Ollivier, and **Y. Hioka**. Localisation of bird calls in native new zealand bush using music and/or gcc method. In *The Institute of Electronics, Information, and Communication Engineers Technical Report EA2017-64*, pages 37–42, Nov 2017.
- [5] B. Ollivier, A. Pepperell, Z. Halstead, and **Y. Hioka**. Bird localization using the gcc in the wavelet domain. In *The Institute of Electronics, Information, and Communication Engineers Technical Report EA2017-65*, pages 43–46, Nov 2017.
- [6] R. Drage, T. Boag, and **Y. Hioka**. Direction of arrival estimation using a microphone on a rotating disk. In *The Institute of Electronics, Information, and Communication Engineers Technical Report EA2017-67*, pages 49–53, Nov 2017.
- [7] **Y. Hioka**, J. James, and C. Watson. A design of comfortable masking sound for real-time informational masking. In *Internoise2017*, pages 1283–1291, Aug 2017.
- [8] J.W. Tang, J. Wan, and **Y. Hioka**. A study on the effect by adding reverberation to speech-like masking sound. *The Journal of the Acoustical Society of America*, 140(4):3437–3437, 2016.
- [9] K. Niwa, **Y. Hioka**, K. Kobayashi, K. Furuya, and Y. Haneda. Evaluation of diffused sensing-type array using independence between transfer functions. In *Proceedings of Acoustical Society of Japan 2013 Spring Meeting*, pages 645–655, 2013. (in Japanese).
- [10] K. Niwa, **Y. Hioka**, S. Araki, K. Furuya, and Y. Haneda. Maximum sn ratio beamforming using diffused sensing. In *Proceedings of Acoustical Society of Japan 2012 Autumn Meeting*, pages 761–762, 2012. (in Japanese).

- [11] K. Niwa, **Y Hioka**, K. Furuya, and Y. Haneda. Directivity control based on diffused sensing: relationships between output interference power and filter length. In *Proceedings of Acoustical Society of Japan 2012 Autumn Meeting*, pages 645–655, 2012. (in Japanese).
- [12] **Y Hioka**, K. Furuya, K. Niwa, and Y. Haneda. Drr estimation under assumption of isotropic reverberation. In *Proceedings of ASJ 2012 Spring Meeting*, pages 827–828, 2012. (in Japanese).
- [13] **Y. Hioka**, K. Niwa, S. Sakauchi, K. Furuya, and Y. Haneda. Evaluating estimation of direct-to-reverberation energy ratio using D/R spatial correlation matrix model. In *Proceedings of International Congress of Acoustics 2010 (ICA2010)*, page 950, Aug 2010.
- [14] **Y Hioka**, K. Niwa, S. Sakauchi, K. Furuya, and Y. Haneda. A method of separating sound sources located at different distances based on direct-to-reverberation ratio. In *Proceedings of Acoustical Society of Japan 2009 Autumn Meeting*, pages 633–634, 2009. (in Japanese).
- [15] K. Niwa, **Y Hioka**, S. Sakauchi, K. Furuya, and Y. Haneda. Relation between sound source orientation and eigenspace of spatial correlation matrix. In *Proceedings of Acoustical Society of Japan 2009 Autumn Meeting*, pages 789–790, 2009. (in Japanese).
- [16] **Y Hioka**, K. Kobayashi, K. Furuya, Y. Haneda, and A. Kataoka. Emphasis of sounds in a specific 2-dimensional area using estimated positions of sound sources. In *IEICE Technical Report*, volume EA108(115), pages 7–12, 2008. (in Japanese).
- [17] **Y Hioka**, K. Kobayashi, K. Furuya, and A. Kataoka. Extracting sounds in a target area surrounded by ambient noise sources. In *IEICE Technical Report*, volume EA106(607), pages 7–12, 2007. (in Japanese).
- [18] **Y Hioka**, K. Kobayashi, K. Furuya, and A. Kataoka. Extraction of sounds from specific directional area by its spectrum estimated from multiple beamforming outputs. In *Proceedings of Acoustical Society of Japan 2007 Autumn Meeting*, pages 625–626, 2007. (in Japanese).
- [19] **Y Hioka**, K. Kobayashi, K. Furuya, and A. Kataoka. A method of sound source emphasis located at a particular position using a pair of small-sized microphone arrays. In *Proceedings of Acoustical Society of Japan 2006 Spring Meeting*, pages 621–622, 2006. (in Japanese).
- [20] M. Matsuo, **Y Hioka**, and N. Hamada. DOA estimation of multiple sound waves by time-frequency analysis using a triangular microphone array. In *Proceedings of Acoustical Society of Japan 2005 Spring Meeting*, pages 613–614, 2005. (in Japanese).
- [21] **Y Hioka** and N. Hamada. Tracking of speaker direction by the integrated use of microphone pairs in equilateral-triangle. In *IEICE Technical Report*, volume EA104(143), pages 1–6, 2004. (in Japanese).

- [22] **Y Hioka** and N. Hamada. Estimation of speech DOA using microphones located at apices of regular tetrahedron. In *Proceedings of Acoustical Society of Japan 2004 Spring Meeting*, pages 585–586, 2004. (in Japanese).
- [23] **Y. Hioka** and N. Hamada. DOA estimation of speech signal using microphones located at vertices of triangle. In *IEICE Technical Report*, volume EA103(129), pages 9–16, 2003. (in Japanese).
- [24] K. Suzuki, **Y Hioka**, and N. Hamada. Adding virtual waves algorithm for using the eigenvectors of the signal covariance matrix. In *IEICE Technical Report*, volume DSP102(550), pages 29–33, 2003. (in Japanese).
- [25] **Y. Hioka** and N. Hamada. DOA estimation of speech signal at a reverberant condition. In *IEICE Technical Report*, volume EA102(606), pages 35–40, 2003. (in Japanese).
- [26] **Y. Hioka** and N. Hamada. DOA estimation using virtually generated multichannel data from two-channel microphone array : Improvement by selecting harmonic elements. In *Proceedings of the 2002 IEICE General Conference Fundamentals*, volume EA102(606), page 179, 2002. (in Japanese).
- [27] **Y. Hioka** and N. Hamada. Voice activity detection using microphone array combining with wavelet analysis. In *IEICE Technical Report*, volume SP101(604), pages 9–16, 2002. (in Japanese).
- [28] **Y. Hioka** and N. Hamada. Separation of voice and musical sound in wavelet domain using harmonically nested microphone array. In *IEICE Technical Report*, volume DSP100(719), pages 13–20, 2001. (in Japanese).
- [29] **Y. Hioka**, T. Yamaoka, and N. Hamada. Separation of voice and musical sound using microphone array and wavelet packet filtering. In *Proceedings of the 2000 IEICE General Conference Fundamentals*, page 127, 2000. (in Japanese).